

FORM PTO-1390 (REV. 11-2000) U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER 450108-02368
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371		U.S. APPLICATION NO. (If known see 37 C.F.R. 1.5) <div style="font-size: 1.5em; font-weight: bold;">09/868565</div>
INTERNATIONAL APPLICATION NO. PCT/JP99/07179	INTERNATIONAL FILING DATE 21 DECEMBER 1999	PRIORITY DATE CLAIMED 21 DECEMBER 1998
TITLE OF INVENTION ROBOT APPARATUS CHARGING SYSTEM, ROBOT APPARATUS, CHARGING DEVICE, CHARGING METHOD FOR ROBOT APPARATUS, AND RECORDING MEDIUM		
APPLICANT(S) FOR DO/EO/US Kozo KAWAKITA		
<p>Applicants herewith submit to the United States Designated/Elected Office (DO/EO/US) the following items and other information:</p> <ol style="list-style-type: none"> 1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 3. <input checked="" type="checkbox"/> This is an express request to promptly begin national examination procedures (35 U.S.C. 371(f)). 4. <input type="checkbox"/> The US has been elected by the expiration of 19 months from the priority date (PCT Article 31). 5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2)) <ol style="list-style-type: none"> a. <input type="checkbox"/> is attached hereto (required only if not communicated by the International Bureau). b. <input checked="" type="checkbox"/> has been communicated by the International Bureau. c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US). 6. <input checked="" type="checkbox"/> An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)). 7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) <ol style="list-style-type: none"> a. <input type="checkbox"/> are attached hereto (required only if not communicated by the International Bureau). b. <input type="checkbox"/> have been communicated by the International Bureau. c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired. d. <input checked="" type="checkbox"/> have not been made and will not be made. 8. <input type="checkbox"/> A English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). 9. <input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. <input type="checkbox"/> An English language translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). <p>Items 11 to 20 below concern document(s) or information included:</p> <ol style="list-style-type: none"> 11. <input checked="" type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 12. <input checked="" type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 13. <input checked="" type="checkbox"/> A FIRST preliminary amendment. 14. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment. 15. <input type="checkbox"/> A substitute specification. 16. <input type="checkbox"/> A change of power of attorney and/or address letter. 17. <input type="checkbox"/> A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825. 18. <input type="checkbox"/> A second copy of the published international application under 35 U.S.C. 154(d)(4). 19. <input type="checkbox"/> A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4). 20. <input checked="" type="checkbox"/> Other items or information: PCT/RO/101,105, 106, PCT/ISA/202, 210, 220 PCT/IB/301, 304, 308, PCT/IPEA/401, 402, 408, 409 416, PCT/IB/332, 338 6 Sheets of Drawings, 1 Page Abstract 		

EXPRESS MAIL

Mailing Label Number: **EL742695991US**

Date of Deposit: **June 19, 2001**

I hereby certify that this paper or fee is being deposited with the United States Postal Service

"Express Mail Post Office to Addressee" Service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents and Trademarks, Box PCT Washington, DC 20231.

Charles Jackson


(Typed or printed name of person mailing paper or fee)

Charles Jackson

(Signature of person mailing paper or fee)

U.S. APPLICATION NO. 09/868565 (37 C.F.R. 1.50)

INTERNATIONAL APPLICATION NO
PCT/JP99/07179ATTORNEY'S DOCKET NO
450108-02368

21. <input checked="" type="checkbox"/> The following fees are submitted				CALCULATIONS PTO USE ONLY	
BASIC NATIONAL FEE (37 CFR 1.492(a)(1)-(5): Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO\$1000.00 International preliminary examination fee (37 C.F.R. 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO\$860.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO\$710.00 International preliminary examination fee paid to USPTO (37 CFR 1.482) but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$690.00 International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(1)-(4) \$100.00					
ENTER APPROPRIATE BASIC FEE AMOUNT =				\$ 860.00	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				\$	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$	
Total Claims	<u>36</u> - 20 =	<u>16</u>	x \$18.00	\$ 288.00	
Independent Claims	<u>6</u> - 3 =	<u>3</u>	x \$80.00	\$ 240.00	
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ \$270.00	\$	
TOTAL OF ABOVE CALCULATIONS =				\$	
<input type="checkbox"/> Applicant claims small entity status. See 37 C.F.R. 1.27. The fees indicated above are reduced by 1/2.				+	\$
SUBTOTAL =				\$ 1,388.00	
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				\$	
TOTAL NATIONAL FEE =				\$ 1,388.00	
Fee for recording the enclosed assignments (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property				+	\$ 40.00
TOTAL FEES ENCLOSED =				\$ 1,428.00	
				Amount to be refunded:	\$
				Charged:	\$
a. <input checked="" type="checkbox"/> Two checks in the amount of \$ 1,428.00 to cover the above fees are enclosed. b. <input type="checkbox"/> Please charge my Deposit Account No. _____ in the amount of \$_____ to cover the above fees. A duplicate copy of this sheet is enclosed. c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>50-0320</u> . A duplicate copy of this sheet is enclosed. d. <input type="checkbox"/> Fees are to be charged to a credit card. WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.					
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.					
SEND ALL CORRESPONDENCE TO:					
WILLIAM S. FROMMER, ESQ. FROMMER LAWRENCE & HAUG LLP 745 FIFTH AVENUE NEW YORK, NEW YORK 10151					
Dated: <u>June 19, 2001</u>					
 SIGNATURE WILLIAM S. FROMMER NAME <u>25,506</u> REGISTRATION NUMBER					

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Kozo Kawakita
U.S. Serial No.: Filed Concurrently Herewith
Title of Invention: ROBOT APPARATUS CHARGING SYSTEM, ROBOT
APPARATUS, CHARGING DEVICE, CHARGING
METHOD FOR ROBOT APPARATUS, AND
RECORDING MEDIUM

745 Fifth Avenue
New York, NY 10151

EXPRESS MAIL

Mailing Label Number: EL742695991US

Date of Deposit: June 19, 2001

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" Service under 37 CFR 1.10 on the date indicated above and is addressed to the Honorable Commissioner of Patents and Trademarks, Washington, DC 20231.

Charles Jackson

(Typed or printed name of person mailing paper or fee)

Charles Jackson

(Signature of person mailing paper or fee)

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Box Patent Application
Washington, D.C. 20231

Sir:

Before the issuance of the first Office Action, please amend the above-identified application as follows:

IN THE CLAIMS

Please cancel claim 35, without prejudice.

Add new claim 37 as follows:

-- 37. (New) A recording medium on which is recorded a program for charging a charging battery mounted on a robot apparatus by causing said robot apparatus, on charging said charging battery, to perform a predetermined movement in accordance with an amount of charging of said charging battery. --


REMARKS

Claim 35 was a multiple dependent claim and has been canceled. New claim 37 is directed to the subject matter of original claim 35 when claim 35 depended from claim 26. The fee calculation for the instant application has been determined after taking into account the present Preliminary Amendment.

An early examination on the merits is respectfully solicited.

Respectfully submitted,

FROMMER LAWRENCE & HAUG LLP
Attorneys for Applicant

By: 
William S. Frommer
Reg. No. 25,506
Tel. (212) 588-0800

DESCRIPTION

ROBOT APPARATUS CHARGING SYSTEM, ROBOT APPARATUS, CHARGING DEVICE,
CHARGING METHOD FOR ROBOT APPARATUS, AND RECORDING MEDIUM

Technical Field

The present invention relates to a robot apparatus charging system, a robot apparatus, a charging device, a charging method for the robot apparatus, and a recording medium, and more particularly to, for example, a walking robot.

Background Art

Conventionally, there is equipment including a charging battery and a charging device for charging a charging battery itself. The conventional charging device has generally notified of commencement of charging and completion of charging of these charging batteries by lighting an LED (Light Emitting Diode).

In a system for notifying completion of charging or the like by lighting an LED, however, it is deficient in attention-arousing capability and it is difficult for the user to become aware of the charging-completed state, and therefore, there is a problem in that unnecessary charging will be continued for many hours while not being aware of the state, resulting in noticeable power consumption wasted.

In recent years, a multiplicity of entertainment robots which are driven with a charging battery as a power source have been put into

commercial production. However, in those entertainment robots having the configuration in which any movement or performance is not made while the charging battery is being charged, there has had a problem in that they bore the users during charging, deteriorating the entertainment characteristics.

Disclosure of the Invention

The present invention has been achieved in consideration of the above described points, and is aimed to propose a robot apparatus charging system, a robot apparatus, a charging device, a charging method for a robot apparatus, and a recording medium, capable of obviously notifying of a charging state and on the other hand, improving the entertainment characteristics by reducing the boredom during charging.

In order to solve such problems, in the robot apparatus charging system, the robot apparatus has been caused, according to the present invention, to perform a predetermined movement in accordance with an amount of charging in the charging battery when the charging battery in the robot apparatus is charged. AS a result, in this robot apparatus charging system, the user is capable of recognizing a charging state of the charging battery based on the movement of the robot apparatus, and high attention-arousing capability to the charging of the charging battery can be exhibited. At the same time, the boredom of the robot apparatus during charging can be reduced so that high entertainment characteristics is obtained.

Also, according to the present invention, the robot apparatus has been caused to perform a predetermined movement in accordance with an amount of charging in the charging battery when the charging battery mounted thereon is charged. AS a result, in this robot apparatus, the user is capable of recognizing a charging state of the charging battery based on the movement of the robot apparatus, and high attention-arousing capability to the charging of the charging battery can be exhibited. At the same time, the boredom of the robot apparatus during charging can be reduced so that high entertainment characteristics is obtained.

Further, according to the present invention, in a charging device for charging a charging battery mounted on the robot apparatus, the robot apparatus has been caused to perform a predetermined movement in accordance with an amount of charging in the charging battery when charging the charging battery. AS a result, according to this charging device, the user is capable of recognizing a charging state of the charging battery based on the movement of the robot apparatus, and high attention-arousing capability to the charging of the charging battery can be exhibited. At the same time, the boredom of the robot apparatus during charging can be reduced so that high entertainment characteristics is obtained.

Further, according to the present invention, in a charging method for charging a charging battery mounted on the robot apparatus, the robot apparatus has been caused to perform a predetermined movement in accordance with an amount of charging in the charging battery when

charging the charging battery. AS a result, according to this charging method for the robot apparatus, the user is capable of recognizing a charging state of the charging battery based on the movement of the robot apparatus, and high attention-arousing capability to the charging of the charging battery can be exhibited. At the same time, the boredom of the robot apparatus during charging can be reduced so that high entertainment characteristics is obtained.

Further, according to the present invention, a control program for executing the above described charging method for the robot apparatus has been caused to be recorded in a recording medium. As a result, according to the control program recorded in this recording medium, the user is capable of recognizing a charging state of the charging battery based on the movement of the robot apparatus, and high attention-arousing capability to the charging of the charging battery can be exhibited. At the same time, the boredom of the robot apparatus during charging can be reduced so that high entertainment characteristics is obtained.

Further, according to the present invention, the robot apparatus is provided with movement generating means for generating a movement, detection means for detecting that a predetermined area has been rocked, and control means for controlling the movement generating means in such a manner that when it is recognized that the predetermined area has been rocked based on detection result of the detection means in a state in which generation of any movement has been stopped, the control means controls the movement generating means to start generation of a movement.

As a result, this robot apparatus is capable of giving the user an impression of a living thing, and giving the same feeling of intimacy or affection as that to a pet such as dogs and cats, thus making it possible to obtain high entertainment characteristics.

Brief Description of the Invention

Figure 1 is a perspective view showing configuration of a walking robot according to this Embodiment;

Figure 2 is a perspective view for explaining a charging system for the walking robot shown in Figure 1;

Figure 3 is a perspective view showing configuration of the charging stand;

Figure 4 is a bottom view showing a shape of the abdominal surface of the walking robot shown in Figure 1; and

Figure 5 is a block diagram showing a circuit configuration for the charging system shown in Figure 2.

Best Mode for Carrying Out the Invention

Hereinafter, with reference to the drawings, the detailed description will be made of an embodiment according to the present invention.

(1) Configuration of Walking Robot according to this Embodiment

Figure 1 shows a small-sized walking robot 1 modeled after a four-footed animal such as a dog and a cat. The walking robot 1 is configured such that a head 3 is mounted on the front end of a trunk

2 via a head joint 4 in such a manner as to be freely rotatable in two directions: up, down, left or right, a tail 5 is mounted on the rear portion of the trunk 2 via a tail joint 6 in such a manner as to be freely rotatable in two directions: up, down, left or right, and two forelegs 7A and 7B and two hind legs 7C and 7D are mounted on the trunk 2 each at two places before and after it on the lateral sides thereof via shoulder joints 9A to 9D and knee joints 10A to 10D respectively in such a manner as to be freely rotatable in two directions: up, down, left or right.

Within the trunk 2, there are incorporated a main controller 11 consisting of microcomputers for concentratedly controlling a controller to be described later, a telephone unit (not shown), an acceleration sensor 12 for detecting acceleration in three axes (X-axis, Y-axis and Z-axis) directions of the walking robot, or the like. Also, on the head 3, there are disposed a touch sensor 13, a CCD (Charge Coupled Device) camera 14, a speaker 15, a microphone 17, an infrared controller 18 or the like.

The main controller 11 drives four legs in total consisting of forelegs 7A and 7B and hind legs 7C and 7D to fold or extend these forelegs 7A and 7B and hind legs 7C and 7D, whereby this walking robot 1 is capable of lying down and standing up under its own power. By causing these forelegs 7A and 7B and hind legs 7C and 7D to perform a walking movement, the walking robot 1 is capable of walking under its own power.

Further, the walking robot 1 is configured such that when the main controller 11 drives the head 3 and the tail 5, the walking robot 1

is capable of shaking the head 3 and wagging the tail 5 up, down, left, or right to express movements similar to four-footed animals such as dogs and cats.

Similarly, when the user touches the touch sensor 13 on the head 3, the walking robot is capable of expressing movements of pleasure by shaking the head 3 or wagging the tail 5, and raising one of the forelegs 7A and 7B in response to "Give me a paw."

Also, this walking robot 1 is capable of recognizing, for example, any obstacle in walking through the main controller 11 on the basis of output from the CCD camera 14, thereby avoiding the obstacle for safely walking to the destination, and transmitting the user's face inputted through the CCD camera 14 to a person on the other end of the line during telephone communication under the control of the main controller 11.

Further, the walking robot 1 is capable of outputting a cry of an animal such as a dog and a cat such as "bow-wow" and "mew" via the speaker 15, and controlling various infrared control equipment such as television sets and video tape recorders by the infrared controller 18.

(2) Configuration of Charging System for Walking Robot 1

Next, with reference to Figures 2 to 5, the description will be made of configuration of the charging system consisting of a charging stand 20 for charging a charging battery 30 (Figure 5) to be described later, mounted on the walking robot 1, and a portion relating to charging to the walking robot 1.

The charging stand 20 is, in its upper, central portion as shown in Figure 3, provided with a concave portion 20A having the substantially same shape and dimensions as the underside of the trunk 2 of the walking robot 1, and a connector for power-supplying (so-called terminal) 21 is disposed at a predetermined position within the concave portion 20A.

At the front end of the charging stand 20, there are provided LEDs (hereinafter, referred to as charging state indicating LEDs) 22 for notifying of "during charging" and "completion of charging" in color as described later, and within the charging stand 20, there are housed a charging circuit 23 (Figure 5), a charging controller 24 (Figure 5) or the like as shown in Figure 5.

On the other hand, within the trunk 2 of the walking robot 1, there are, as shown in Figure 5, mounted a head driving unit 32 as driving means for the head joint 4 (Figure 1), and a head-driving controller 34 as its control means; a tail driving unit 34 as driving means for the tail joint 6 (Figure 1) and a tail-driving controller 35 as its control means; shoulder joints 9A to 9D (Figure 1) in the forelegs 7a and 7B and the hind legs 7C and 7D, a leg driving unit 36 as driving means for the knee joints 10A to 10D (Figure 1) and a leg-driving controller 37 as its control means; and a voice processing unit 38 for generating voice signals for various voices such as a cry under the control of the main controller 11 to transmit to the speaker 15, including a charging battery 30 and a power source controller 31.

In the abdomen of the trunk 2 of the walking robot 1, a connector 40 is provided at a predetermined position correspondingly to the

connector 21 (Figure 3) of the charging stand 20 as shown in Figure 4, and the trunk 2 of the walking robot 1 is placed so as to be fitted into the concave portion 20A on the charging stand 20 as shown in Figure 2, whereby the walking robot 1 and the charging stand 20 are adapted to be able to be electrically connected via the connector 40 of the walking robot 1 and the connector 21 of the charging stand 20 as shown in Figure 5.

When the walking robot 1 is placed on the charging stand 20 as described above, the main controller 11 in the walking robot 1 controls the head-driving controller 33, the tail-driving controller 35 and the leg-driving controller 37 respectively on the basis of the control program stored in advance in a memory 11A disposed within to drive the head driving unit 32, the tail driving unit 34 and the leg driving unit 36 as required, whereby the walking robot 1 is caused to take a pose during charging, expressing weakness in which it hangs its head 3, hangs down the tail 5, and hangs down the forelegs 7A and 7B and the hind legs 7C and 7D.

Also, at this time, in the charging stand 20, a charging circuit 23 starts supplying of power to the charging battery 30 in the walking robot 1 through the power source controller 24 of the walking robot 1, that is, starts charging, and the charging controller 24 lights a charging state indicating LED 22 in orange color to indicate that charging has been started.

When charging to the charging battery 30 in the walking robot 1 is completed after a lapse of a predetermined time, a charging-completed

signal is outputted from the power source controller 31, which has monitored a charging state (amount of charging) of the charging battery 30 until then, to the main controller 11, and the charging-completed signal is outputted from the main controller 11 to the charging controller 24 in the charging stand 20. As a result, the luminescent color of the charging state indicating LED22 changes into green color under the control of the charging controller 24.

At this time, the main controller 11 in the walking robot 1 controls the head-driving controller 33, the tail-driving controller 35, the leg-driving controller 37 and/or the voice processing unit 38 on the basis of the control program stored in the memory 11A, whereby the walking robot 1 is caused to take a pose to notify of completion of charging.

As a pose to notify of such completion of charging, there will be practically executed such a head-raising movement as to lift the head 3 upward when the head-driving controller 33 drives the head driving unit 32 or such a pose as to shake the head 3 up and down (directions indicated by an arrow a in Figure 2); such a pose as to wag the tail 5 up and down (directions indicated by an arrow b in Figure 2) or left and right (directions indicated by an arrow c in Figure 2) when the tail-driving controller 35 drives the tail driving unit 34; such a pose as to lift the forelegs 7A and 7B upward (direction indicated by an arrow d in Figure 2) for shaking them up and down, and shaking them left and right (directions indicated by an arrow e in Figure 2), or to extend the entire forelegs 7A and 7B and hind legs 7C and 7D for

raising the trunk 2 when the leg-driving controller 37 drives the leg driving unit 36; such a pose as to output, when the voice processing unit 38 generates a voice signal to output to the speaker 15, an animal's cry such as "bow-wow" and "mew" based on the voice signal through the speaker 15, or the like.

In this respect, at this juncture, it may be possible not only to terminate a pose to notify of the completion of charging only by one pose, but also to continuously execute a plurality of types of poses for continuous movements. When there is taken the pose to extend the entire forelegs 7A and 7B and hind legs 7C and 7D for raising the trunk 2, it may be possible to raise the trunk 2 above the charging stand 20 for retracting from the connector 21 (Figure 3) of the charging stand 20 under its own power, and to subsequently cause the forelegs 7A and 7B and the hind legs 7C and 7D to perform a walking movement for retracting from the charging stand 20 under its own power.

Also, after such a pose to notify of the completion of charging as described above is caused to be performed for a predetermined time, the main controller 11 in the walking robot 1 controls the head-driving controller 33, the tail-driving controller 35, the leg-driving controller 37 and/or the voice processing unit 38 as required to thereby stop the movement of the walking robot 1.

Further, when it subsequently recognizes that the trunk 2 has been rocked on the basis of output from the acceleration sensor 12, the main controller 11 starts controlling the head-driving controller 33, the tail-driving controller 35, the leg-driving controller 37 and/or the

voice processing unit 38 on the basis of the control program stored in the memory 11A to thereby perform such a movement as to lift the head 3 upward by driving the head driving unit 32, a movement to wag the tail 5 up, down, left or right by driving the tail driving unit 34, such a movement as to shake the forelegs 7A and 7B up and down by raising them upward, such a movement as to generate an animal's cry through the speaker 15 and other movements.

In this manner, the walking robot 1 starts the movement as if it awaked from its sleep when the trunk 2 is rocked after its movement is stopped.

(3) Movement and Effect of this Embodiment

In the above described configuration, the walking robot 1 takes the pose during charging, expressing weakness in which it hangs its head 3, hangs down the tail 5, and hangs down the forelegs 7A and 7B and the hind legs 7C and 7D during charging. Thereafter, after the completion of charging, the walking robot 1 takes the pose of completion of charging in which it moves the head 3, the tail 5, the forelegs 7A and 7B and/or the hind legs 7C and 7D, and generates an animal's cry.

The walking robot 1 automatically takes the pose to notify of completion of charging in this manner at the completion of charging, whereby the user is capable of obviously recognizing the completion of charging based on changes in posture and movements thereof.

In other words, the walking robot 1 is capable of strongly appealing to the user that the charging has been completed by changes in the posture and movements of its own at the completion of charging, and exhibiting

high attention-arousing capability. Also, by doing so, the entertainment characteristics can be also improved.

When the walking robot 1 stops its movement after a lapse of a predetermined time after completion of charging and then the trunk 2 is rocked by the user or the like, the rocking is detected by the acceleration sensor 12, and the walking robot 1 starts the movement as if it awaked from its sleep. Therefore, this walking robot 1 is capable of giving the user an impression of a living thing, and giving the same feeling of intimacy or affection as that to a pet.

According to the above described configuration, the walking robot 1 is caused to take the charging-completed pose in which the head 3, the tail 5, the forelegs 7A and 7B and/or the hind legs 7C and 7D are moved, and an animal's cry is generated at the completion of charging, whereby it is possible to cause the user to obviously recognize the completion of charging based on changes in posture and movements of the walking robot 1.

Since it is caused to start the movement when the trunk 2 is rocked in a state in which the movement is stopped, the walking robot 1 is capable of being caused to have an impression of a living thing. Thus, the same feeling of intimacy or affection as that to a pet can be given to the user, obtaining high entertainment characteristics.

(4) Other Embodiments

In this respect, in the above described embodiment, the description has been made of the case where the present invention is applied to a four-footed walking type walking robot 1 configured as shown in Figure

1, but the present invention is not limited thereto, but can be widely applied to a mobile type robot using wheels and other various robot apparatuses.

Also, in the above described embodiment, the description has been made of the case where the walking robot 1 is caused to simply stop its movement after a lapse of a predetermined time after completion of charging, but the present invention is not limited thereto, but it may be possible to stop the movement in a state in which it takes such a pose that it looks as if an animal such as a dog and a cat slept.

Further, in the above described embodiments, as a pose for expressing the completion of charging, the description has been made of the case in which there are taken such a movement as to lift the head 3 upward or such a pose as to shake the head 3 up and down; such a pose as to wag the tail 5 up, down, left or right; such a pose as to lift the forelegs 7A and 7B upward to shake them up and down, and shake left and right, or to extend the entire forelegs 7A and 7B and hind legs 7C and 7D for raising the trunk 2; such a pose as to generate an animal's cry such as "bow-wow" and "mew," or the like. However, the present invention is not limited thereto, but it may be possible to cause the walking robot 1 to take any other poses than those poses as the pose for expressing the completion of charging. As the pose for expressing the completion of charging, other various poses can be widely applied, so long as it is such a pose as to cause the user to obviously recognize the completion of charging.

but the charging controller 24 of the charging stand 20 transmits a charging-completed signal to the main controller 11 of the walking robot 1 on the basis of the charging-completed signal from the power source controller 31 after completion of charging to the charging battery 30, and on the basis of the charging-completed signal, the main controller 11 may control the head-driving controller 33, the tail-driving controller 35, the leg-driving controller 37 and the voice processing unit 38 in such a manner that the walking robot 1 takes the charging-completion pose.

Further, in the above described embodiments, the description has been made of the case where the walking robot 1 starts the movement when the trunk 2 is rocked in a state in which the walking robot 1 has stopped the movement. However, the present invention is not limited thereto, but for example, the head 3 and the forelegs 7A and 7B other than the trunk 2 may be provided with acceleration sensors in such a manner that it starts the movement as if it awaked from its sleep when these head 3 and forelegs 7A and 7B are rocked.

Further, in the above described embodiments, the description has been made of the case where a cry such as "bow-wow" and "mew" is outputted through the speaker 15 as the charging-completed pose. However, the present invention is not limited thereto, but a buzzer sound or any other simple sound may be outputted.

Industrial Applicability

The present invention is capable of being applied to various robots and their charging devices including entertainment robots.

FIG. 10

CLAIMS

1. A robot apparatus charging system, comprising:
a robot apparatus on which a charging battery is mounted, and
a charging device for charging said charging battery mounted on
said robot apparatus,
characterized in that said robot apparatus performs a
predetermined movement in accordance with an amount of charging in said
charging battery on charging said charging battery using said charging
device.
2. The robot apparatus charging system according to claim 1,
characterized in that said robot apparatus has a movable portion and
said predetermined movement is a movement to move said movable portion.
3. The robot apparatus charging system according to claim 2,
characterized in that said predetermined movement is a movement to
change a pose of said robot apparatus from a first pose during charging
to a second pose to notify of completion of charging by moving said
movable portion at completion of charging of said charging battery.
4. The robot apparatus charging system according to claim 1,
characterized in that said predetermined movement is a movement
to notify of completion of charging of said charging battery.

5. The robot apparatus charging system according to claim 4, characterized in that said predetermined movement is a continuous movement.

6. The robot apparatus charging system according to claim 4, characterized in that said robot apparatus has a head, and said predetermined movement is a movement to raise said head.

7. The robot apparatus charging system according to claim 4, characterized in that said robot apparatus has forelegs and hind legs, and said predetermined movement is a movement to lift said forelegs.

8. The robot apparatus charging system according to claim 4, characterized in that said robot apparatus has a tail, and said predetermined movement is a movement to wag said tail.

9. The robot apparatus charging system according to claim 4, characterized in that said robot apparatus has legs, and said predetermined movement is a movement to raise said legs.

10. The robot apparatus charging system according to claim 4, characterized in that said robot apparatus has a speaker, and said predetermined movement is a movement to make a sound through said speaker.

11. The robot apparatus charging system according to claim 4, characterized in that said robot apparatus has voice generating means for generating a predetermined voice and a speaker, and said predetermined movement is a movement to output said voice generated by said voice generating means through said speaker.

12. A robot apparatus characterized by performing, on charging a charging battery mounted thereon, a predetermined movement in accordance with an amount of charging of said charging battery.

13. The robot apparatus according to claim 12, characterized in that said robot apparatus has a movable portion and said predetermined movement is a movement to move said movable portion.

14. The robot apparatus according to claim 13, characterized in that said predetermined movement is a movement to change a pose of said robot apparatus from a first pose during charging to a second pose to notify of completion of charging by moving said movable portion at completion of charging of said charging battery.

15. The robot apparatus according to claim 12, characterized in that said predetermined movement is a movement to notify of completion of charging of said charging battery.

16. The robot apparatus according to claim 15, characterized in that said predetermined movement is a continuous movement.

17. The robot apparatus according to claim 15, characterized in that said robot apparatus has a head, and said predetermined movement is a movement to raise said head.

18. The robot apparatus according to claim 15, characterized in that said robot apparatus has forelegs and hind legs, and said predetermined movement is a movement to lift said forelegs.

19. The robot apparatus according to claim 15, characterized in that said robot apparatus has a tail, and said predetermined movement is a movement to wag said tail.

20. The robot apparatus according to claim 15, characterized in that said robot apparatus has legs, and said predetermined movement is a movement to raise said legs.

21. The robot apparatus according to claim 15, characterized in that said robot apparatus has a speaker, and said predetermined movement is a movement to make a sound through said speaker.

22. The robot apparatus according to claim 15, characterized in that said robot apparatus has voice generating means for generating a

predetermined voice and a speaker, and said predetermined movement is a movement to output said voice generated by said voice generating means through said speaker.

23. A charging device for charging a charging battery mounted on a robot apparatus, characterized by causing said robot apparatus, on charging said charging battery, to perform a predetermined movement in accordance with an amount of charging of said charging battery.

24. The charging device according to claim 23, characterized in that said robot apparatus is caused to perform said predetermined movement at completion of charging of said charging battery.

25. The charging device according to claim 23, characterized in that said predetermined movement is a movement to notify of completion of charging of said charging battery.

26. A robot apparatus charging method for charging a charging battery mounted on a robot apparatus, characterized by causing said robot apparatus, on charging said charging battery, to perform a predetermined movement in accordance with an amount of charging of said charging battery.

27. The robot apparatus charging method according to claim 26,

characterized in that said robot apparatus is caused to perform a predetermined movement at completion of charging of said charging battery.

28. The robot apparatus charging method according to claim 26, characterized in that said predetermined movement is a movement to notify of completion of charging of said charging battery.

29. The robot apparatus charging method according to claim 28, characterized in that said robot apparatus has a head, and said predetermined movement is a movement to raise said head.

30. The robot apparatus charging method according to claim 28, characterized in that said robot apparatus has forelegs and hind legs, and said predetermined movement is a movement to lift said forelegs.

31. The robot apparatus charging method according to claim 28, characterized in that said robot apparatus has a tail, and said predetermined movement is a movement to wag said tail.

32. The robot apparatus charging method according to claim 28, characterized in that said robot apparatus has legs, and said predetermined movement is a movement to raise said legs.

33. The robot apparatus charging method according to claim 28,
characterized in that said robot apparatus has a speaker, and said
predetermined movement is a movement to make a sound through said
speaker.

34. The robot apparatus charging method according to claim 28,
characterized in that said robot apparatus has voice generating
means for generating a predetermined voice and a speaker, and said
predetermined movement is a movement to output said voice generated
by said voice generating means through said speaker.

35. A recording medium in which at least one of robot apparatus charging
methods specified in claims 26 to 34 is recorded.

36. A robot apparatus, comprising:

movement generating means for generating a movement;


detection means for detecting that a predetermined area is rocked;

and

control means for controlling said movement generating means,
characterized in that when it is recognized that said predetermined
area is rocked on the basis of detection result of said detection means
in a state in which generation of said movement is stopped, said control
means controls said movement generating means to start generation of
said movement.

ABSTRACT

On charging a charging battery mounted on a robot apparatus, the robot apparatus is caused to perform a predetermined movement in accordance with an amount of charging of the charging battery, and thereby it is possible to recognize a state of charging of the charging battery on the basis of the movement of the robot apparatus, and the entertainment characteristics can be improved.



1

FIG 1

0966566-061001




FIG 2

092655.06.1.001




FIG 3

0266555-061001




FIG 4



Description of Symbols

1 ... Walking robot, 2 ... Trunk, 3 ... Head, 4 ... Head joint, 5 ... Tail, 7A, 7B ... Forelegs, 7C, 7D ... Hind legs, 11 ... Main controller, 11A ... Memory, 12 ... Acceleration sensor, 15 ... Speaker, 20 ... Charging stand, 21, 40 ... Connector, 23 ... Charging circuit, 24 ... Charging controller, 30 ... Charging battery, 31 ... Power source controller, 32 ... Head driving unit, 33 ... Head-driving controller, 34 ... Tail driving unit, 35 ... Tail-driving controller, 36 ... Leg driving unit, 37 ... Leg-driving controller, 38 ... Voice processing unit.

Declaration and Power of Attorney for Patent Application

特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

私は、以下に記名された発明者として、ここに下記の通り宣言する：

As a below named inventor, I hereby declare that:

私の住所、郵便の宛先そして国籍は、私の氏名の後に記載された通りである。

My residence, post office address and citizenship are as stated next to my name:

下記の名称の発明について、特許請求範囲に記載され、且つ特許が求められている発明主題に関して、私は、最初、最先且つ唯一の発明者である（唯一の氏名が記載されている場合）か、或いは最初、最先且つ共同発明者である（複数の氏名が記載されている場合）と信じている。

I believe I am the original, first and sole inventor if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled.

ROBOT APPARATUS CHARGING SYSTEM, ROBOT
APPARATUS, CHARGING DEVICE, CHARGING
METHOD FOR ROBOT APPARATUS, AND RECORDING
MEDIUM

the specification of which is attached hereto unless the following box is checked:

上記発明の明細書はここに添付されているが、下記の欄がチェックされている場合は、この限りでない：

☐ _____ の日に出願され、
この出願の米国出願番号またはPCT国際出願番号は、
_____ であり、且つ
_____ の日に補正された出願（該当する場合）

☒ was filed on 21 December 1999
as United States Application Number of
PCT International Application Number PCT/JP99/07179
_____ and was amended on
_____ (if applicable).

私は、上記の補正書によって補正された、特許請求範囲を含む上記明細書を検討し、且つ内容を理解していることをここに表明する。

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

私は、連邦規則法典第37編規則1.58に定義されている、特許性について重要な情報を開示する義務があることを認める。

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the need of the individual case. Any comments on the amount of time you are required to complete this form should be sent to Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner of Patents and Trademarks, Washington, DC 20231.

日本語宣言書

私は、ここに、以下に記載した外国での特許出願または発明者証の出願、或いは米国以外の少なくとも一国を指定している米国法典第35編第365条(a)によるPCT国際出願について、同第119条(a)(d)項又は第365条(b)項に基づいて優先権を主張するとともに、優先権を主張する本出願の出願日より前の出願日を有する外国での特許出願または発明者証の出願、或いはPCT国際出願については、いかなる出願も、下記の枠内をチェックすることにより示した。

Prior Foreign Application(s)

外国での先行出願

10-362299
(Number)
(番号)

Japan
(Country)
(国名)

11-129279
(Number)
(番号)

Japan
(Country)
(国名)

PCT/JP99/07179
(Number)
(番号)

PCT
(Country)
(国名)

(Number)
(番号)

(Country)
(国名)

(Number)
(番号)

(Country)
(国名)

(Number)
(番号)

(Country)
(国名)

私は、ここに、下記のいかなる米国特許出願についても、その米
国法典第35編第119条(e)項の利益を主張する。

(Application No.)
(出願番号)

(Filing Date)
(出願日)

私は、ここに、下記のいかなる米国出願についても、その米国法典第35編第120条に基づく利益を主張し、又米国を指定するいかなるPCT国際出願についても、その同第365条(c)に基づく利益を主張する。また、本出願の各特許請求の範囲の主題が、米国法典第35編第112条第1段に規定された態様で、先行する米国出願又はPCT国際出願に開示されていない場合においては、その先行出願の出願日と本国内出願日またはPCT国際出願日との間の期間中に入手された情報で、連邦規則法典第37編規則1.56に定義された特許性に関わる重要な情報について開示義務があることを承認する。

(Application No.)
(出願番号)

(Filing Date)
(出願日)

私は、ここに表明された私自身の知識に係わる陳述が真実であり、且つ情報と信ずることに基づく陳述が、真実であると信じられることを宣言し、さらに、故意に虚偽の陳述などを行った場合は、米国法典第18編第1001条に基づき、罰金または拘禁、若しくはその両方により処罰され、またそのような故意による虚偽の陳述は、本出願またはそれに対して発行されるいかなる特許も、その有効性に問題が生ずることを理解した上で陳述が行われたことを、ここに宣言する。

I hereby claim foreign priority under Title 35, United States Code, Section 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT International application which designated at least one country other than the United States listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT international application having a filing date before that of the application for which priority is claimed.

Priority Not Claimed

優先権主張なし

21 December 1998
(Day/Month/Year Filed)

☐

10 May 1999
(Day/Month/Year Filed)

☐

21 December 1999
(Day/Month/Year Filed)

☐

(Day/Month/Year Filed)

☐

(Day/Month/Year Filed)

☐

(Day/Month/Year Filed)

☐

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.

(Application No.)
(出願番号)

(Filing Date)
(出願日)

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or 365(c) of any PCT international application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of application.

(Status: Patented, Pending, Abandoned)
(現況: 特許許可、係属中、放棄)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

日本語宣言書

委任状：私は本出願を審査する手続を行い、且つ米国特許商標庁との全ての業務を遂行するために、記名された発明者として、下記の弁護士及び/または弁理士を任命する。(氏名及び整理番号を記載すること)

書類送付先

直通電話連絡先：(氏名及び電話番号)

唯一または第一発明者氏名

発明者の署名

日付

住所

国籍

郵便の宛先

第二共同発明者がいる場合、その氏名

第二共同発明者の署名

日付

住所

国籍

郵便の宛先

(第三以下の共同発明者についても同様に記載し、署名をすること)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact al business in the Patent and Trademark Office connected therewith (list name and registration number)

2 WILLIAM S. FROMMER, Registration No. 25,506 and
DENNIS M. SMID, Registration No. 34,930

Send Correspondence to:

WILLIAM S. FROMMER, Esq.
c/o FROMMER LAWRENCE & HAUG LLP
745 Fifth Avenue
New York, New York 10151

Direct Telephone Calls to: (212) 588-0800

To the attention of: WILLIAM S. FROMMER

Full name of sole or first inventor

Kozo KAWAKITA

inventor's signature

Date

Residence

Kanagawa, Japan

Citizenship

Japan

Post Office Address:

Sony Corporation
7-35 Kitashinagawa 6-Chome
Shinagawa-Ku, Tokyo 141, Japan

full name of second joint inventor, if any

Second Inventor's signature

Date

Residence

Citizenship

Post Office Address

Sony Corporation
7-35 Kitashinagawa 6-Chome
Shinagawa-Ku, Tokyo 141, Japan

(Supply similar information and signature for third and subsequent joint inventors)